THE IDENTITY AND STATUS OF THOMAS' "LECTOTYPE" OF LEPORILLUS APICALIS (GOULD, 1853) [RODENTIA: MURIDAE]

by J. A. MAHONEYS

Summary

MAHONEY, J. A. (1975).—The identity and status of Thomas' "lectotype" of Leporillus apicalis (Gould, 1853) [Rodentia: Muridae]. Trans. R. Soc. S. Aust. 99(3), 101-104, 30 August 1975.

The specimen selected by Thomas as the lectotype of Leporillus apicalis (Gould, 1853) was misidentified by him and belongs to Leporillus conditor (Sturt. 1848). It does not belong to the type series of L. apicalis, therefore Thomas' lectotype selection for that species is invalid. The type material of L. apicalis and L. conditor is missing. Thomas' "lectotype" of L. apicalis and a second specimen of L. conditor in the British Museum (Natural History) could belong to the type series of L. conditor. Evidence for the occurrence of L. apicalis in Tasmania is lacking.

Introduction

The name Hapalotis apicalis was proposed by Gould (1853a) for a new species of rodent from Australia. He did not state in the original description if one or more specimens were heing described nor did he give any locality. Later, Gould (1853b) stated that he possessed a single example procured by Mr Strange in South Australia, and he illustrated the external features.

Thomas (1906a) nominated Hapalotis apicalis as the type species of a new genus, Leporillus, and subsequently (Thomas 1921a) he selected British Museum (Natural History) specimen 1853.10.22.151 as the lectotype of Leporillus apicalis, describing it as a female from S. Australia. Explaining his lectotype selection, Thomas (1921c) stated that although Gould had in his collection two specimens of that species, he seems to have done his describing from only one of them (BM, 53.10.22.14 (sic)—lapsus for BM, 53.10.22.15)

—the worst of the two, young, and with an imperfect tail. Thomas concluded with the remark that probably from memory, and certainly wrongly, Gould stated that the species had a white-tipped tail, but his overlooked second specimen [adult with nearly perfect skull² and quite perfect tail (BM, 53.10.22.14)] has the latter organ uniformly blackish or brownish above and dull white below, and there is no indication of the white tail-tip found in so many Australasian Muridae.

A study of three Australian Museum specimens of L. apicalis, and the literature, enabled Troughton (1923) to confirm that Gould was correct in attributing a white tail-tip to the species. Troughton stated also that Thomas' remark that Gould seems to have done his describing from only one of his two specimens means that that specimen must be accepted as the holotype.

Tate (1951) treated specimens 1853,10.22,14 and 1853,10.22,15 as "cotypes" of L. apicalis

Department of Geology and Geophysics, University of Sydney, Sydney, N.S.W. 2006.

The first two digits of British Museum (Natural History) registration numbers of mammals are frequently omitted from publications. Thus Thomas uses 53.10.22.15 for 1853.10.22.15.

This skull is registered as 1854.10.21.1 and the Register entry mentions a stuffed specimen and refers to 53.10.22.16. I have been unable to find a specimen numbered 1853.10.22.16 in the British Museum (N.H.) therefore 1 am following Thomas' conclusion that 1853.10.22.14, 1853.10.22.16 and 1854.10.21.1 belong to the one individual; but it is possible that 1853.10.22.14, identified as Hapalotis apicalis in the Register, is lost and the skin now numbered 1853.10.22.14 is skin 1853.10.22.16 with an incorrect number. A note in Thomas' handwriting attached to skin 1853.10.22.14 and stating that this specimen was considered to be the type seems to refer to the Museum Register where "type" has been written opposite the number 1853.10.22.16. A portion of the posterior half of the cranium, and the left mandibular ramus, are missing from the skull.

Skull measurements (in mm) of Thomas' "lectotype" of Leporillus apicalis (Gould), B.M. (N.H.), 1853.10.22.15.

Maximum width across nasals .					5.0	
Minimum width			24	90-		
matic plate .	0.1		2.7		4,4	
Length of right M1	-3	~			9.7	
Width of left M1		,	-	22	2.6	
Width of left Mª					2,7	
Width of left Ma				,	2.4	
Length of left M1-;			0		9.1	
Width of left Ma		~	_		2.4	
Width of left Me	1	,	27		2.7	
Width of left Ma					2.4	

The teeth measurements are for the crowns of the teeth.

and referred to them as adult and young females, from "South Australia", collected by F. Strange. He briefly described the skin and skull of each and recorded measurements of them. He does not refer, in his account of L. apicalis, to Thomas' lectotype selection or to 'Troughton's recognition of a holotype for the species.

Identity of the "lectotype"

British Museum (N.H.) specimens 1853.10.22.14 and 1853.10.22.15 are examples of Leporillus conditor (Sturt, 1848) and not specimens of Leporillus apicalis (Gould, 1853) as believed by Thomas. They do not agree with the original description of L. apicalis (Gould) and because of this I do not accept that either of them belong to the type series of that species. Consequently, I regard as invalid Thomas' lectotype selection for L. apicalis. Thomas (1921b) stated there is no specimen of L. conditor in the British Museum, and turther demonstrated his unfamiliarity with its characters by suggesting that it possibly belongs to Notomys, a genus of Australian hopping mice and rats.

Measurements of the badly damaged skull of Thomas' "lectotype" are given in Table 1. The skull is illustrated in Figs 1-4.

Discussion

The type material of both L apicalis and L. conduor is lost. The latter species was described by Sturt in 1848 as Mus conditor from specimens observed and collected on his


1844-6 Expedition to Central Australia. The original description was published in the Narrative of the Expedition and Sturt did not say where his material was deposited. It seems likely however that at least one specimen, illustrated by J. Gould and H. C. Richter in a plate³ accompanying Sturt's description of the species, would have gone into Gould's collection, and perhaps from there into a Museum collection. A collection of mammals made by the Expedition was presented to the British Museum by Sturt in 1846. This collection is noted by Thomas (1906b) and does not contain specimens of Leporillus.

Specimens 1853.10.22.14 and 1853.10.22.15 were registered in the British Museum on October 22nd, 1853, and were acquired from Gould. Labels attached to them refer to S. Australia and F. Strange. The entries for them in the Register mention neither a locality nor Strange. S. Australia could be an abbreviation of either South Australia or Southern Australia and F. Strange presumably is Frederick Strange, a collector and dealer in natural history specimens who accompanied Sturt on some of his early surveys (but not the 1844-6 Expedition), and was an early settler in South Australia and later, in the 1840's, a resident of New South Wales (Whittell 1947). Gould (1849) does not mention Strange and South Australia in his account of L. conditor. Subsequently (Gould 1863) he gives only the interior of New South Wales and Victoria as localities for the species. It is possible that the inscriptions on the labels are interpretations of the origins of the two specimens based on Gould's account of L. apicalis. If they are not interpretations, their significance is uncertain since the citation of S. Australia is ambiguous and Strange might not be the collector of the specimens.

British Museum (N.H.) specimens 1853.10.22.14 and 1853.10.22.15 could have been collected on Sturt's 1844 6 Expedition and might belong to the type series of L. conditor. This is so even if they came from South Australia. Sturt (1848, Vol. 1, pp. 120-121) referred in his account of the Expedition's progress along the Darling River in New South Wales to an individual of L. conditor secured by Mr Browne and to one, a male, obtained by himself from a native. However, Sturt (Vol. 2, Appendix, p. 4) noted also that the last nest

³ Gould's name is printed on this plate and the species name Mus conditor is attributed to him by Sturt; nevertheless Sturt is the author of the name Mus conditor.









Figs 1-4. Leporillus conditor (Sturt, 1848). British Museum (N.H.) 1853.10.22.15. Thomas' "Iectotype" of Leporillus apicalis (Gould, 1853). Fig. 1—Ventral view of cranium (x3). Fig. 2
—Occlusal view of left upper molar row (x8). Fig. 3—Occlusal view of left lower molar row (x8). Fig. 4—Right lateral view of cranium (x3).

of L. conditor was found on the bank of the muddy lagoon to the north of the Pine Forest (N.S.W.), and the Expedition explored portion of South Australia before reaching the muddy lagoon.

Although the whereabouts of the type material of L. apicalis and L. conditor is un-

known, there is no uncertainty about which species of native rodents were named *Hapalotis apicalis* and *Mus conditor* by Gould and Sturt respectively, and neotype selections for them are unwarranted.

Gould (1853b) commented in his account of L. apicalis that an animal in spirits in the

British Museum, presented by R. C. Gunn, from Van Diemen's Land, accords very closely with it in the colouring of the fur and in the rat-like form of the tail. He added that it is of much smaller size than L. apicalis and in all probability will prove to be a new species. Gould's listing in 1863 of Van Diemen's Land as a possible locality for L. apicalis could be based on that material. Tasmanian rodent specimens in the British Museum (N.H.) and attributable to Gunn are recorded in the Register. The identities of these specimens and their registration numbers are Rattus rattus (Linnaeus, 1758) (1837.6.10.56). Rattus norvegicus (Berkenhout, 1769) (1838.1.15.17), Rattus lutreolus (Gray, 1841) (1845.5.2.3, 1852.1.15.16, 1852.1.15.17), Mastacomys fuscus Thomas, 1882 (1852.1.15.15) and Pseudomys higginsi (Trouessart, 1897) (1852.1.15.18). None of these are L. apicalis, and evidence for the occurrence of this species in Tasmania is lacking.

Acknowledgments

This study was carried out in the British Museum (N.H.) by arrangement with Dr G. B. Corbet of the Mammal Section. The photographs were taken by Mr F. Greenaway, British Museum (N.H.) Photographic Unit.

References

GOULD, J. (1849).—"The mammals of Australia".
Pt 2, pl. 8 and text (1863, vol. 3, pl. 6 and text). (J. Gould: London.)

GOULD, J. (1853a).—Remarks on the genus Hapalotis. Proc. zool. Soc. Lond. 1851, 126-127. [The approximate date of publication of this work in 1853 is 29 April—see Proc. zool. Soc. Lond. 107, 81 (1937).]

this work in 1853 is 29 April—see Proc. zool.
Soc. Lond. 107, 81 (1937).]
GOULD, J. (1853b).—"The mammals of Australia". Pt 5, pl. 12 and text (1863, vol. 3, pl. 2 and text). (J. Gould: London.) [The date November 1st, 1853 is printed on the cover of Pt. 5 of Gould's work.]

Pt 5 of Gould's work.]

Gould, J. (1863).—"The mammals of Australia".

Pt 13, Introduction, pp. xi-xl (1863, vol. 1, Introduction, pp. xi-xl). (J. Gould: London.) [The date May 1st, 1863 is printed on the cover of Pt 13 of Gould's work. An uncorrected proof-sheet version of Pt 13, pp. xi-xl of "The mammals of Australia" is included in pp. 1-51 of a work entitled "An introduction to the mammals of Australia" by J. Gould and published in 1863. A copy of this work in the Australian Museum library has a date of presentation to Reverend John Barlow F.R.S., May 6th, 1863, inscribed on the title page.]

STURT, C. (1848).—"Narrative of an expedition into Central Australia, performed under the authority of Her Majesty's Government, during the years 1844, 5, and 6. Together with a notice of the Province of South Australia, in 1847." (Boone, London.) Vol. 1, x, iv, 5-416 pp. Vol. 2, vi, 1-308, 1-92 pp. [The final 27 pages, i.e. pp. 66-92, of Vol. 2 are a botanical appendix by R. Brown.] [Although this work has the date 1849 printed on the title pages, its date of publication is 1848. Thus it is cited in a "List of New Books" in The Athenaeum (Journal of English and

foreign literature, science, and the fine arts), no. 1101, December 2nd, 1848, p. 1207, col. 2, and in a list of "Publications Received" in The Spectator, for the week ending December 23rd, 1848, no. 1069, p. 1237, col. 1. Furthermore, p. 1243, col. 2, of The Spectator, for the week ending December 23rd, 1848, contains a publisher's notice which states that Sturt's work is "Now ready".]

TATE, G. H. H. (1951).—Results of the Archbold Expeditions. No. 65. The rodents of Australia and New Guinea. Bull. Am. Mus. nat. Hist. 97, 183-430.

THOMAS, O. (1906a).—On the generic arrangement of the Australian rats hitherto referred to Conilurus, with remarks on the structure and evolution of their molar cusps. Ann. Mag. nat. Hist. (7) 17, 81-85.
 THOMAS, O. (1906b).—Mammals. Pp. 3-66. In

THOMAS, O. (1906b).—Mammals. Pp. 3-66. In "The history of the collections contained in the Natural History Departments of the British Museum". Vol. 2. Separate historical accounts of the several collections included in the Department of Zoology. (British Museum: London.)

THOMAS, O. (1921a).—Notes on Australasian rats, with a selection of lectotypes of Australasian Muridae. *Ann. Mag. nat. Hist.* (9) 8, 425-433.

Thomas, O. (1921b).—Notes on the species of Notomys, the Australian jerboa-rats. Ann. Mag. nat. Hist. (9) 8, 536-541.

THOMAS, O. (1921c).—On three new Australian rats. Ann. Mag. nat. Hist. (9) 8, 618-622.

TROUGHTON, E. Le G. (1923).—A revision of the rats of the genus Leporillus and the status of Hapalotis personata Krefft, Rec. Aust. Mus. 14, 23-41.

WHITTELL, H. M. (1947).—Frederick Strange. A biography. Aust. Zool. 11, 96-114.



Mahoney, J A. 1975. "THE IDENTITY AND STATUS OF THOMAS LECTOTYPE OF LEPORILLUS-APICALIS RODENTIA MURIDAE." *Transactions of the Royal Society of South Australia, Incorporated* 99, 101–104.

View This Item Online: https://www.biodiversitylibrary.org/item/127751

Permalink: https://www.biodiversitylibrary.org/partpdf/78941

Holding Institution

South Australian Museum

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.